

vSwitch Benchmarking Methodology Pack

Spirent MethodologyCenter

Features

- Conforms to draft standard Benchmarking Virtual Switches in OPNFV (draft-vsperf-bmwg-vswitch-opnfv-00)
- Characterizes the performance of virtual switches according to NFVi stats*
- Provides visibility into underlying resource utilization
- Generates detailed yet easy-to-read reports with drill-down results
- Reports can be saved as XLS, PDF or DOCX formats
- Browser-based UI works on any popular operating system

*Coming soon in Q4 2016

Virtual switches are an integral component of NFV infrastructure.

Benchmarking their performance is critical to ensuring the success of virtualized environments. The IETF has defined a draft RFC for this purpose in <https://tools.ietf.org/html/draft-vsperf-bmwg-vswitch-opnfv-00>, detailing a set of tests specific to virtual switches.

Spirent vSwitch Benchmarking Methodology Pack implements the key tests defined in the IETF draft as a suite of methodologies available on Spirent MethodologyCenter web application. With a focus on ease-of-use, test scenarios can be configured and run from any popular browser. Executing methodologies generates detailed reports with drill-down results that are easy to interpret, or save in various formats. The methodologies require Spirent TestCenter hardware to generate and receive traffic.

Benefits


- Rapid vSwitch performance benchmarking
- Ease of use, improved productivity and user experience, preconfigured topology profiles help save time
- Compatible with Spirent TestCenter hardware and virtual ports

Methodologies


The vSwitch Benchmarking Methodology Pack includes four methodologies:

- **Throughput and Latency Profile**—determines how throughput and latency degrade as the rate is varied in the region of the DUT’s maximum forwarding rate
- **Performance Consistency**—determines the throughput consistency profile using RFC 2544-like testing
- **Flow Scale**—varies the number of flows while running RFC 2544 throughput tests

Initial Packet Processing Latency—measures the minimum, average and maximum latency of the initial packet of a flow of the initial packet of a flow



Configuration page for the vSwitch Benchmarking Flow Scale Methodology



Selection Page for vSwitch Benchmarking Methodology Pack in MethodologyCenter

vSwitch Benchmarking Methodology Pack

Spirent MethodologyCenter

About Spirent Communications

Spirent Communications (LSE: SPT) is a global leader with deep expertise and decades of experience in testing, assurance, analytics and security, serving developers, service providers, and enterprise networks.

We help bring clarity to increasingly complex technological and business challenges.

Spirent's customers have made a promise to their customers to deliver superior performance. Spirent assures that those promises are fulfilled.

For more information, visit:
www.spirent.com

AMERICAS 1-800-SPIRENT
+1-800-774-7368
sales@spirent.com

US Government & Defense
info@spirentfederal.com
spirentfederal.com

EUROPE AND THE MIDDLE EAST
+44 (0) 1293 767979
emeainfo@spirent.com

ASIA AND THE PACIFIC
+86-10-8518-2539
salesasia@spirent.com

Technical Specifications

Description	Details
Applicable Standards	https://tools.ietf.org/html/draft-ietf-bmwg-vswitch-opnfv
Tests Included	<ul style="list-style-type: none">vSwitch Benchmarking Throughput and Latency ProfilevSwitch Benchmarking Performance ConsistencyvSwitch Benchmarking Flow ScalevSwitch Benchmarking Initial Packet Processing Latency

Ordering information

Description	Part Number
vSwitch Performance Methodology Package - perpetual	TMV-MC-VSWITCHPERF-PACK-P
vSwitch Performance Methodology Package - 1 year	TMV-MC-VSWITCHPERF-PACK-1YR